Application No. 10/809,392

Response dated: April 19, 2006

Reply to Office action of January 20, 2006

Amendments to the Claims:

This listing of claims will replace all prior versions, and listing, of claims in the application.

Listing of Claims:

1. (Currently Amended) A liquid crystal display comprising:

first and second substrates;

a common electrode and a source electrode formed on the first substrate;

a common electrode line connected to the common electrode and making an obtuse

angle with the common electrode;

a pixel electrode formed on the first substrate and alternately arranged with the

common electrode;

a pixel electrode line connected to the pixel electrode and making an obtuse angle with

the pixel electrode; and

a liquid crystal layer interposed between the first and the second substrates,

wherein a first edge of the common electrode line makes an obtuse angle relative to an

initial molecular director and a first edge of the pixel electrode line makes an obtuse angle

relative to the initial molecular director.

2. (Currently Amended) The liquid crystal display of claim 1, wherein the initial

molecular director makes clockwise acute angles relative to the common electrode and the pixel

electrode and makes counterclockwise obtuse angles with the first edges of the common

electrode line and the pixel electrode line.

3. (Withdrawn) The liquid crystal display of claim 1, wherein the initial molecular

director makes counterclockwise acute angles relative to the common electrode and the pixel

electrode and makes clockwise obtuse angles with the edges of the common electrode line and

the pixel electrode line.

Page 3 of 10.

Application No. 10/809,392

Response dated: April 19, 2006

Reply to Office action of January 20, 2006

4. (Original) The liquid crystal display of claim 1, wherein a second edge of the

common electrode line extends substantially perpendicular to the common electrode, and a

second edge of the pixel electrode line extends substantially perpendicular to the pixel electrode.

5. (Original) The liquid crystal display of claim 1, wherein the pixel electrode and the

common electrode are curved.

6. (Original) The liquid crystal display of claim 5, wherein a second edge of the

common electrode line is oblique to the common electrode and a second edge of the pixel

electrode line is oblique to the pixel electrode.

7. (Original) The liquid crystal display of claim 5, wherein a pitch of the curving of

the pixel electrode and the common electrode is larger than about 50 microns.

8. (Currently Amended) A panel for a liquid crystal display, the panel comprising:

a substrate;

a common electrode and a source electrode formed on the substrate;

a common electrode line connected to the common electrode and making an obtuse

angle with the common electrode;

a pixel electrode formed on the substrate and alternately arranged with the common

electrode;

a pixel electrode line connected to the pixel electrode and making an obtuse angle with

the pixel electrode; and

an alignment layer formed on the substrate and rubbed in a direction,

wherein a first edge of the common electrode line makes an obtuse angle relative to the

rubbed direction and a first edge of the pixel electrode line makes an obtuse angle relative to the

rubbed direction.

9. (Currently Amended) The panel of claim 8, wherein the rubbed direction makes

clockwise acute angles relative to the common electrode and the pixel electrode and makes

YOM-0297 OPP 030157 US P2003-0018784 Application No. 10/809,392

Response dated: April 19, 2006

Reply to Office action of January 20, 2006

counterclockwise obtuse angles with the <u>first</u> edges of the common electrode line and the pixel electrode line.

10. (Withdrawn) The liquid crystal display of claim 8, wherein the rubbed direction makes counterclockwise acute angles relative to the common electrode and the pixel electrode and makes clockwise obtuse angles with the edges of the common electrode line and the pixel electrode line.

Page 5 of 10.